

Hercules Gold Project - Phase II 2020 Drilling Results

Notes: AuEq = Au + (Ag/70) using US\$1,700/oz for Au and US\$24.25/oz for Ag with metallurgical recovery at 100%; No grade capping applied; True thickness estimated between 70% and 90% for drillholes inclined at -45 degrees to the west, between 50% and 90% for drillholes inclined at -60 degrees to the west, and between 35% and 50% for east-oriented drillholes.

Hole	Azimuth/Dip (Degrees)	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Target Area	Comments
H20013 and	120/-70	38.10	41.15	3.05	0.21	0.80	0.22	Hercules	Steeper hole from H20010 collar
		68.58	70.10	1.52	0.20	1.00	0.21		
H20014	120/-70	No Significant Intersections						Hercules	Testing possible Hercules Structural Zone
H20015 and and incl. incl.	121/-70	0.00	3.05	3.05	0.46	6.45	0.55	Hercules	Steeper hole from H20012 collar
		13.72	15.24	1.52	0.16	0.25	0.17		
		21.34	42.67	21.34	0.19	1.75	0.21		
		21.34	27.43	6.10	0.32	1.85	0.35		
		32.00	33.53	1.52	0.31	2.20	0.34		
H20016 and and	121/-70	73.15	74.68	1.52	0.19	0.60	0.20	Hercules	Testing possible Hercules Structural Zone
		79.25	82.30	3.05	0.30	0.75	0.31		
		97.54	99.06	1.52	0.16	0.25	0.17		
H20017 incl. incl. incl.	121/-60	86.87	121.92	35.05	0.27	7.25	0.37	Hercules	Testing possible southern extension of Hercules Structural Zone
		91.44	97.54	6.10	0.42	6.10	0.51		
		103.63	106.68	3.05	0.33	1.70	0.35		
		114.30	120.40	6.10	0.57	24.20	0.85		
H20018	120/-60	70.10	73.15	3.05	0.36	1.00	0.37	Hercules	Testing possible Hercules Structural Zone
H20021 incl. incl. and and incl.	300/-45	19.81	36.58	16.76	0.43	8.20	0.54	Hercules	Testing east-dipping curvilinear fault host to mineralization
		19.81	27.43	7.62	0.34	3.36	0.39		
		32.00	36.58	4.57	0.93	24.00	1.27		
		103.63	106.68	3.05	0.33	2.80	0.37		
		120.40	146.30	25.91	0.32	5.56	0.40		
		124.97	138.68	13.72	0.46	8.86	0.52		
H20023 incl. and and and and and and incl. incl. incl.	300/-45	4.57	12.19	7.62	0.34	3.16	0.38	Hercules	Testing east-dipping curvilinear fault host to mineralization
		7.62	10.67	3.05	0.54	5.20	0.62		
		44.20	45.72	1.52	0.29	1.70	0.31		
		47.24	48.77	1.52	0.25	3.90	0.30		
		53.34	56.39	3.05	0.37	3.10	0.42		
		64.01	67.06	3.05	0.40	8.90	0.53		
		73.15	79.25	6.10	0.25	2.38	0.28		
		86.87	88.39	1.52	0.23	1.50	0.25		
		97.54	126.49	28.96	0.32	3.09	0.36		
		97.54	112.78	15.24	0.37	2.56	0.41		
		109.73	112.78	3.05	0.63	3.35	0.68		
120.40	126.49	6.10	0.46	6.78	0.55				
H20024 incl.	300/-45	51.82	71.63	19.81	0.35	4.96	0.42	Hercules	Testing east-dipping curvilinear fault host to mineralization
		51.82	65.53	13.72	0.40	6.42	0.49		
H20026 incl. incl. and and and and and and and incl. which incl. incl. which incl. and and incl. and and	300/-45	0.00	15.24	15.24	0.28	3.27	0.33	Hercules	Testing east-dipping curvilinear fault host to mineralization
		0.00	6.10	6.10	0.35	4.00	0.40		
		10.67	13.72	3.05	0.30	3.35	0.35		
		39.62	41.15	1.52	0.34	0.90	0.35		
		62.48	65.53	3.05	0.34	1.65	0.36		
		79.25	80.77	1.52	0.34	0.80	0.35		
		91.44	94.49	3.05	0.28	4.00	0.34		
		97.54	102.11	4.57	0.36	3.50	0.41		
		114.30	143.26	28.96	0.63	8.19	0.75		
		114.30	126.49	12.19	0.66	14.04	0.86		
		118.87	123.44	4.57	1.17	27.27	1.55		
		131.06	141.73	10.67	0.86	4.73	0.93		
		131.06	132.59	1.52	3.50	6.40	3.59		
		150.88	152.40	1.52	0.34	2.40	0.37		
		158.50	166.12	7.62	0.37	0.96	0.38		
		161.54	163.07	1.52	0.71	1.10	0.72		
		170.69	173.74	3.05	0.22	0.75	0.23		
		198.12	199.64	1.52	0.35	1.20	0.36		
210.31	213.36	3.05	0.23	2.15	0.26				
H20027 and and and incl. incl. and and and and	300/-45	0.00	4.57	4.57	0.25	1.23	0.27	Hercules	Testing east-dipping curvilinear fault host to mineralization
		7.62	10.67	3.05	0.23	2.80	0.27		
		15.24	18.29	3.05	0.19	1.30	0.21		
		19.81	32.00	12.19	0.51	6.41	0.60		
		19.81	24.38	4.57	0.61	13.27	0.80		
		27.43	32.00	4.57	0.59	2.90	0.64		
		36.58	44.20	7.62	0.33	4.44	0.40		
		59.44	79.25	19.81	0.21	1.05	0.23		
		91.44	96.01	4.57	0.31	1.33	0.33		
		H20029 and and incl. incl. which incl. and and incl. and	300/-45	4.57	7.62	3.05	0.35		
18.29	19.81			1.52	0.25	2.50	0.29		
39.62	70.10			30.48	0.44	4.31	0.50		
39.62	42.67			3.05	0.48	7.80	0.59		
48.77	60.96			12.19	0.72	6.54	0.81		
56.39	59.44			3.05	1.49	14.10	1.69		
74.68	88.39			13.72	0.23	1.26	0.25		
91.44	99.06			7.62	0.38	3.94	0.43		
94.49	99.06			4.57	0.48	5.27	0.56		
103.63	111.25			7.62	0.31	2.00	0.34		
H20031 incl. which incl. which incl. incl. incl. and and and incl.	300/-45	0.00	30.48	30.48	1.63	18.27	1.89	Hercules	Testing east-dipping curvilinear fault host to mineralization
		3.05	24.38	21.34	2.20	24.53	2.55		
		3.05	12.19	9.14	3.60	31.25	4.05		
		6.10	9.14	3.05	5.55	47.90	6.23		
		13.72	18.29	4.57	1.87	26.43	2.25		
		21.34	22.86	1.52	1.19	40.90	1.77		
		42.67	45.72	3.05	0.37	1.80	0.40		
		47.24	50.29	3.05	0.24	1.95	0.27		
		62.48	76.20	13.72	0.35	3.48	0.40		
		64.01	70.10	6.10	0.49	5.40	0.56		
H20033	300/-45	No Significant Intersections						Hercules	Testing east-dipping curvilinear fault host to mineralization

Hercules Gold Project - Phase II 2020 Drilling Results

Notes: AuEq = Au + (Ag/70) using US\$1,700/oz for Au and US\$24.25/oz for Ag with metallurgical recovery at 100%; No grade capping applied; True thickness estimated between 70% and 90% for drillholes inclined at -45 degrees to the west, between 50% and 90% for drillholes inclined at -60 degrees to the west, and between 35% and 50% for east-oriented drillholes.

Hole	Azimuth/Dip (Degrees)	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Target Area	Comments
H20035 and and and	300/-45	0.00	4.57	4.57	0.40	2.37	0.43	Hercules	Testing east-dipping curvilinear fault host to mineralization
		35.05	36.58	1.52	0.23	1.10	0.24		
		41.15	48.77	7.62	0.34	1.92	0.36		
		70.10	73.15	3.05	0.25	1.25	0.27		
H20036 and incl. and and and and and and incl. which incl. and	300/-45	30.48	38.10	7.62	0.80	10.50	0.95	Hercules	Testing east-dipping curvilinear fault host to mineralization
		45.72	48.77	3.05	3.19	2.45	3.23		
		45.72	47.24	1.52	6.01	3.40	6.06		
		50.29	51.82	1.52	0.37	3.40	0.42		
		56.39	57.91	1.52	0.68	5.80	0.76		
		64.01	70.10	6.10	0.28	1.43	0.30		
		83.82	85.34	1.52	0.22	1.60	0.24		
		86.87	102.11	15.24	0.30	2.72	0.34		
		105.16	106.68	1.52	0.24	2.30	0.27		
		121.92	135.64	13.72	0.41	3.33	0.46		
		143.26	147.83	4.57	0.47	4.83	0.54		
		152.40	166.12	13.72	0.46	4.21	0.52		
		158.50	166.12	7.62	0.68	6.54	0.77		
		160.02	161.54	1.52	1.05	10.60	1.20		
170.69	172.21	1.52	0.27	3.30	0.31				
H20037 and and incl. incl. incl. which incl. which incl. which incl. and and incl. which incl. which incl. which incl.	300/-45	4.57	6.10	1.52	0.35	5.70	0.43	Hercules	Testing east-dipping curvilinear fault host to mineralization
		9.14	10.67	1.52	0.22	4.00	0.28		
		18.29	36.58	18.29	1.80	16.94	2.04		
		18.29	24.38	6.10	0.62	15.90	0.85		
		28.96	33.53	4.57	5.83	40.87	6.41		
		28.96	30.48	1.52	2.77	14.20	2.97		
		30.48	32.00	1.52	13.05	98.00	14.45		
		32.00	33.53	1.52	1.67	10.40	1.81		
		56.39	57.91	1.52	0.20	0.90	0.21		
		60.96	74.68	13.72	0.79	8.67	0.92		
		65.53	71.63	6.10	1.44	16.25	1.68		
		65.53	67.06	1.52	2.48	32.60	2.95		
		67.06	68.58	1.52	1.27	12.90	1.45		
		68.58	70.10	1.52	1.15	13.80	1.34		
H20038 and incl. incl. which incl. which incl. and and incl. which incl. which incl. which incl. incl.	300/-45	3.05	7.62	4.57	0.25	3.07	0.29	Hercules	Testing east-dipping curvilinear fault host to mineralization
		13.72	32.00	18.29	1.12	8.51	1.25		
		18.29	21.34	3.05	4.81	30.50	5.25		
		18.29	19.81	1.52	4.47	27.10	4.86		
		19.81	21.34	1.52	5.15	33.90	5.63		
		47.24	48.77	1.52	0.45	4.70	0.52		
		53.34	60.96	7.62	1.12	30.06	1.55		
		56.39	57.91	1.52	3.89	121.00	5.62		
		65.53	96.01	30.48	0.59	6.62	0.68		
		73.15	79.25	6.10	1.85	23.13	2.18		
		73.15	74.68	1.52	1.69	8.00	1.80		
		74.68	76.20	1.52	3.45	14.90	3.66		
		76.20	77.72	1.52	1.33	43.70	1.95		
		91.44	94.49	3.05	0.59	2.05	0.62		
H20039	300/-45	15.24	19.81	4.57	0.20	1.67	0.22	Hercules	Testing east-dipping curvilinear fault host to mineralization
H20020 Or incl. incl. incl. alternate incl.	300/-60	4.57	59.44	54.86	0.25	2.29	0.28	Cliffs	Two possibilities for long interval of low grade
		4.57	47.24	42.67	0.28	2.57	0.32		
		4.57	10.67	6.10	0.58	3.68	0.63		
		21.34	27.43	6.10	0.20	4.40	0.26		
		30.48	38.10	7.62	0.40	3.88	0.46		
30.48	47.24	16.76	0.35	2.94	0.39				
H20022 incl. incl. incl. incl. incl. incl. incl. incl. incl. and	300/-45	1.52	134.11	132.59	0.16	2.15	0.19	Cliffs	Frequent intersections of low grade
		1.52	24.38	22.86	0.24	5.96	0.32		
		12.19	22.86	10.67	0.28	11.53	0.45		
		12.19	15.24	3.05	0.44	30.00	0.87		
		33.53	41.15	7.62	0.19	2.14	0.22		
		50.29	54.86	4.57	0.30	3.33	0.35		
		79.25	82.30	3.05	0.25	1.60	0.27		
		92.96	99.06	6.10	0.26	1.63	0.28		
		111.25	117.35	6.10	0.21	2.85	0.25		
		129.54	134.11	4.57	0.23	2.33	0.26		
		217.93	219.46	1.52	0.23	1.00	0.24		
H20025 incl. incl. and and and and and incl. and and	300/-45	3.05	24.38	21.34	0.30	8.61	0.42	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		7.62	10.67	3.05	0.69	47.80	1.38		
		18.29	22.86	4.57	0.38	2.40	0.41		
		39.62	42.67	3.05	0.22	1.35	0.24		
		54.86	59.44	4.57	0.19	1.23	0.21		
		62.48	65.53	3.05	0.22	1.20	0.24		
		71.63	74.68	3.05	0.17	1.40	0.19		
		82.30	83.82	1.52	0.31	1.00	0.32		
		88.39	99.06	10.67	0.26	2.99	0.30		
		94.49	96.01	1.52	0.41	2.60	0.45		
		208.79	210.31	1.52	0.37	2.50	0.40		
300.23	301.75	1.52	0.27	13.10	0.46				
H20028 and and incl. incl. and and and	295/-45	0.00	6.10	6.10	0.32	3.08	0.36	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		15.24	25.91	10.67	0.22	3.66	0.27		
		28.96	45.72	16.76	0.25	2.56	0.29		
		32.00	35.05	3.05	0.40	3.30	0.45		
		41.15	44.20	3.05	0.38	3.00	0.42		
		48.77	54.86	6.10	0.16	3.55	0.21		
		96.01	97.54	1.52	0.53	14.20	0.73		
		210.31	219.46	9.14	0.21	3.22	0.25		

Hercules Gold Project - Phase II 2020 Drilling Results

Notes: AuEq = Au + (Ag/70) using US\$1,700/oz for Au and US\$24.25/oz for Ag with metallurgical recovery at 100%; No grade capping applied; True thickness estimated between 70% and 90% for drillholes inclined at -45 degrees to the west, between 50% and 90% for drillholes inclined at -60 degrees to the west, and between 35% and 50% for east-oriented drillholes.

Hole	Azimuth/Dip (Degrees)	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Target Area	Comments
H20028 (Continued) and incl. incl.	295/-45	225.55	231.65	6.10	0.21	2.65	0.24	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		269.75	281.94	12.19	0.87	3.49	0.92		
		274.32	275.84	1.52	1.54	4.00	1.59		
		278.89	280.42	1.52	3.17	1.80	3.20		
H20030 and and incl. and and and incl. and and	295/-60	0.00	3.05	3.05	0.18	1.15	0.19	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		7.62	12.19	4.57	0.38	3.30	0.43		
		15.24	22.86	7.62	0.42	5.88	0.50		
		19.81	21.34	1.52	1.05	19.80	1.33		
		24.38	32.00	7.62	0.25	2.50	0.29		
		48.77	68.58	19.81	0.23	1.71	0.25		
		85.34	100.58	15.24	0.41	6.59	0.50		
		86.87	99.06	12.19	0.46	7.35	0.56		
		106.68	112.78	6.10	0.42	3.38	0.47		
		210.31	211.84	1.52	0.51	1.60	0.53		
H20032 incl. incl. which incl. incl. and and and and and and and	300/-60	6.10	22.86	16.76	0.28	1.90	0.31	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		6.10	7.62	1.52	0.41	2.20	0.45		
		9.14	18.29	9.14	0.35	2.28	0.38		
		12.19	18.29	6.10	0.41	2.68	0.45		
		19.81	22.86	3.05	0.23	1.90	0.25		
		27.43	30.48	3.05	0.23	1.30	0.25		
		50.29	57.91	7.62	0.20	1.45	0.28		
		82.30	88.39	6.10	0.21	2.10	0.24		
		91.44	92.96	1.52	0.32	2.10	0.35		
		128.02	132.59	4.57	0.22	2.20	0.26		
		146.30	147.83	1.52	0.43	4.60	0.50		
		175.26	176.78	1.52	0.82	0.50	0.83		
		257.56	259.08	1.52	0.42	1.30	0.44		
H20034 incl. and and and and and and and and and	300/-60	3.05	18.29	15.24	0.37	3.46	0.42	Cliffs	Testing east-dipping curvilinear fault host to mineralization
		3.05	13.72	10.67	0.42	3.51	0.47		
		30.48	32.00	1.52	0.23	1.90	0.25		
		118.87	120.40	1.52	0.32	1.50	0.34		
		195.07	196.60	1.52	0.30	0.70	0.31		
		228.60	231.65	3.05	0.20	1.05	0.21		
		239.27	240.79	1.52	0.21	0.80	0.22		
		256.03	260.60	4.57	0.19	0.97	0.20		
		271.27	272.80	1.52	0.78	3.40	0.83		
		281.94	283.46	1.52	0.46	0.70	0.47		
		288.04	291.08	3.05	0.21	1.35	0.23		
292.61	297.18	4.57	0.35	2.20	0.38				
H20040 and and and and incl. incl. incl. incl. incl. incl.	300/-45	6.10	13.72	7.62	0.33	2.94	0.37	Cliffs	Hole ends in mineralization
		25.91	27.43	1.52	0.23	1.80	0.25		
		118.87	120.40	1.52	0.28	1.00	0.29		
		172.21	173.74	1.52	0.65	7.80	0.76		
		184.40	224.03	39.62	1.12	5.38	1.20		
		184.40	202.69	18.29	1.99	8.65	2.12		
		185.93	192.02	6.10	5.04	14.93	5.26		
		187.45	188.98	1.52	1.09	26.30	1.46		
		188.98	190.50	1.52	17.70	21.50	18.01		
		195.07	198.12	3.05	0.82	10.20	0.97		
		214.88	224.03	9.14	0.57	2.63	0.61		
H20019 incl. and and and incl. incl.	300/-45	70.10	88.39	18.29	0.33	8.45	0.45	Hercules to Cliffs	Targeted apparent high resistivity IP anomaly between Hercules and Cliffs
		79.25	83.82	4.57	0.84	27.87	1.24		
		108.20	109.73	1.52	0.20	0.70	0.21		
		166.12	167.64	1.52	0.17	8.90	0.30		
		184.40	199.64	15.24	0.31	3.46	0.36		
		185.93	187.45	1.52	0.84	12.90	1.02		
		196.60	199.64	3.05	0.74	2.10	0.77		